




TECHNICAL DATA / **DONNÉES TECHNIQUES** / **DATI TECNICI**

Fluid / <b>Fluide</b> / <i>Fluido</i>	Air / <b>Air</b> / <i>Aria</i>		
Maximum pressure / <b>Pression Max</b> / <i>Pressione Max</i>	15 bar		
Temperature / <b>Température</b> / <i>Temperatura</i>	-10° C / +50° C		
6 bar flow rate with $\Delta p$ 1 bar / <b>Débit à 6 bar avec <math>\Delta p</math> à 1 bar</b> <i>Portata a 6 bar con <math>\Delta p</math> 1 bar</i>	1=800 NI/min	2=2100NI/min	3=3500NI/min
Wall clamping screws / <b>Vis pour fixation</b> / <i>Viti per fissaggio</i>	1=M4X14	2=M5X18	3=M6X20
Bowl capacity / <b>Volume</b> / <i>Capacità tazza</i>	1=22cm <sup>3</sup>	2=46cm <sup>3</sup>	3=89,5cm <sup>3</sup>

STANDARD PRODUCTS / **PRODUIT STANDARD** / **PRODOTTI STANDARD**

Code Code Codice	Size Taille Taglia	Thread Filetage Filetto	Filtration Filtration Filtrazione	Flow rate Débit Portata	Regulation Régulation Regolazione
XM122311	1	1/4	20µm	800NI/min	0 - 8bar
XM132311	1	3/8	20µm	800NI/min	0 - 8bar
XM232311	2	3/8	20µm	2100NI/min	0 - 8bar
XM242311	2	1/2	20µm	2100NI/min	0 - 8bar
XM352311	3	3/4	20µm	3500NI/min	0 - 8bar
XM362311	3	1"	20µm	3500NI/min	0 - 8bar

ORDERING CODE / **CODIFICATION** / **CHIAVE DI CODIFICA**



DIMENSIONS / **DIMENSIONS** / **DIMENSIONI**

